Urban Housing Developments





Required Information

This document summarises the submission requirements for applications for **urban housing developments that propose additional floor area.** Urban Housing refers to **all residential development, other than single dwelling houses.** The checklist consists of two parts:

- Part One contains the submission requirements for a Development Application (DA).
- Part Two contains the submission requirements for a Construction Certificate (CC).

A copy of the checklist is available on Council's website; it contains hyperlinks to documents and websites that will assist you in the preparation of your application.

Nothing in this checklist precludes Council from requesting additional information, where Council is of the opinion that the information will assist in the assessment of an application. All plans should be drawn to scale, in ink, on unlined paper and coloured to distinguish new work from existing structures.

Electronic Submission of Documents

Council no longer requires paper copies to be submitted with an application. An electronic copy of all documents - including all written reports/ statements and plans is required to be submitted. Council requests all documents use the following naming convention, any naming conventions outside of the examples provided may result in a delay in the registration of your application:

- Application Form 25 City Street Newcastle
- Architectural Plan 25 City Street Newcastle
- Hunter Water Stamp Plan 25 City Street Newcastle
- SEE 25 City Street Newcastle
- Stormwater Plan 25 City Street Newcastle
- Engineering 25 City Street Newcastle
- Notification Plan 25 City Street Newcastle

Part One: Development Application (DA) Checklist

Insert a tick (\checkmark) in the column titled "Applicant" items where the information has been provided or left blank where not applicable. The relevant sections will be dependent on the application.

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
1.	A Completed Application Form and this completed checklist (1 electronic copy). A Development Application form is to include consent of all owner/s, contact phone numbers for the applicant and owner and an accurate assessment of the cost of works. The cost of works must include both the cost of materials and the market value of labour. The cost of works will be checked against industry cost guides and you may be required to provide three (3) builders quotes to substantiate estimates, where the amount stated is below industry standards.	All applications.		
2.	An Electronic Copy of the Application (1 electronic copy) A pdf copy of all documents and plans contained in the application shall be provided on a non-returnable CD or USB stick. More details about how the file is to be formatted can be found in the document titled Application and Plan Standards.	All applications.		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
3.	Site Analysis Plan (1 electronic copy):The plan is to include the following details: Orientation north point (true north) scale (show ratio and bar scale) Property details, including property boundaries, dimensions and areas (existing and proposed) lot and deposited plan numbers site area (square metres or hectares) proposed and existing easements, rights of way, sewer mains and services Landform and vegetation contours or spot levels (extend contours into adjoining roads and properties) to Australian Height Data (AHD) differences in ground levels between the site and adjoining land stormwater drains, flow paths, drainage easements, watercourses, channels, etc. extent of any known land filling or contaminated soil landscape features: cliffs, embankments, retaining walls, foreshores, wetlands, etc. important views: from the site, from adjoining land existing vegetation on-site and on adjacent land, streets and reserves: show location, height, canopy spread, species existing roads and pathways extent of any environmental constraint areas	All applications.		
4.	 Site Plan (1 electronic copy): The plan is to include: boundary dimensions, the general fall of the site, finished levels (contours or spot levels in AHD). the building footprint and the distances of the proposal to the boundaries and all buildings on site, the location and type of all trees located within the footprint of the proposed works and within 5 metres of the proposed works, including trees on neighbouring properties, public places or footpaths, any easements and the location of any powerline, transmission line, underground powerline or electricity substation or tower within the vicinity of the proposed works, the location of all existing structures and those to be demolished, new work must be clearly distinguished. the position of any street or lane adjoining the site, car parking areas and dimensions (show direction of traffic movement, driveway location and waste bin storage and collection facilities. 	All applications.		
5.	Elevations (1 electronic copy, drawn to a scale of 1:100). Elevations are to be a fully dimensioned plan showing all faces of the building, existing and proposed windows, and existing and finished floor levels, the	All applications.		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
	height above natural ground level, the type of material to be used in construction. New work must be clearly distinguished.			
6.	Floor Plans (1 electronic copy, drawn to a scale of 1:100). A fully dimensioned plan showing the size and use of each room/area. New work must be clearly distinguished. Floor plans for additions and alterations to an existing building must show the existing room layout including all existing windows, doors etc.	All applications.		
7.	A section through the building (1 electronic copy, drawn to a scale of 1:100). Sections are to show the proposed method of construction and must be fully dimensioned. Sections for buildings with suspended floors must indicate the subfloor clearance of the floor.	All applications.		
8.	A driveway section (4 copies, drawn to a scale of 1:100). Sections are required on steep sites. The driveway should be designed to comply with AS2890, Section 3.02.10 of DCP 2012 and have a maximum gradient of 1:4 with transition grades.	Required where there changes to car spaces proposed.		
9.	 Shadow Diagrams (4 copies, drawn to a scale of 1:100). The diagrams should indicate in plan view the shadowing impacts for 21 June, for 9am, 12 and 3pm (inclusive) and indicate: the existing and proposed shadows, the footprint of buildings and solar panels on adjoining sites, and the impact on adjoining living areas and adjoining private open space. It will be necessary to prepare elevation views where windows to living areas are impacted upon. 	Required where adjoining properties are likely to be impacted.		
10.	Notification Plans (1 electronic copy, drawn to a scale of not less than 1:200). A4 or A3 size plans including site plan, elevations, dimensions of the proposal and all relevant setbacks.	All applications.		
11.	Fire Safety Schedule (1 electronic copy). A list of all fire safety measures that exist or are proposed for the building and the standard to which they are installed must be provided with the application. The location of the measures must be indicated on the floor plan.	Required for all changes of use and additions to existing buildings.		
12.	Statement of Environmental Effects (SEE) (1 electronic copy). The statement should address the environmental impacts of the proposed development and any steps taken to protect the environment and lessen the expected impact. The statement should address the following matters: • The environmental impacts of the development; • How the environmental impacts of the development have been identified e.g. any reports or investigations; • The steps to be taken to protect the environment or to lessen the expected harm to the environment; and	All applications.		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
	Whether or not the development complies with Council's policies (i.e. LEP or DCP) and any applicable legislation including the Ecological Sustainable Development principles contained with the DCP 2012 . Justification for any part that does not comply with policies or legislation should be provided in the statement.			
	For further information on how to prepare a Statement of Environmental Effects please refer to the <u>information</u> sheet on Council's web site.			
13.	Objection to development standard (1 electronic copy). Clause 4.6 of LEP 2012 enables consideration of a written request justifying the contravention of any development standard. The request must demonstrate:	All application where it is proposed to vary a standard or standards		
	 (a) that compliance with the development standard is unreasonable or unnecessary in the circumstances, and (b) that there are sufficient environmental planning grounds to justify contravening the development standard. 			
14.	Hunter Water Stamped Plans. The applicant will be required to satisfy the requirements of the Hunter Water Corporation (HWC). Evidence of consultation with HWC, including plans stamped by the Hunter Water Corporation must be provided. The Corporation has an office located at 36 Honeysuckle Drive, Newcastle and can be contacted on 1300 657 657. For more details on their requirements see their website.	All applications		
15.	Mines Subsidence Stamped Plans. All applications on properties affected by Mines Subsidence are required to have the plans stamped by the Mines Subsidence Board. Minor structures may be 'Deemed Approved' by the Mines Subsidence Board and be exempt from the need for referral to the Board. The Mine Subsidence Board is located at 117 Bull St Newcastle West, phone (02) 4908 4300 (see their website for more information).	Required where the property is within a Mine subsidence Area.		
16.	A BASIX Certificate (1 electronic copy). The certificate is to confirm compliance with the Government's sustainability targets. Certificates. The plans and specifications must identify the BASIX commitments. Applicants can generate the BASIX Certificate only on the NSW Department of Planning's BASIX website. The BASIX certificate or certificates must have been issued no earlier than 3 months before the date on which the application is made.	Required for all dwellings with a cost of works of \$50,000 or greater or a swimming pool with a capacity of 40,000 litres or greater.		
17.	 A schedule of materials and colours of the façade (1 electronic copy): The schedule must: Describe the composition of the material and colour, Describe the architectural feature that will compromise the material and colour, Identify the colour and location of all materials in the facades. 	Required where the proposal is visible from the street.		

	Development Applications	Applicant's column to be marked with a tick (✓) if applicable		
	Submission Requirements	Required when?	Applicant	Staff
18.	Survey of Existing Australian Height Datum (AHD) (1 electronic copy): Where the property is affected by flooding, a survey of the existing floor level is to be provided to AHD indicating the floor level above the flood planning level. The flood planning level can be obtained from Council by applying for a Flood Information Certificate.	Required where works are proposed and the property is a flood controlled lot.		
19.	 Arborist Report and statement of consistency (1 electronic copy). The report is to include: the Tree Retention Value Assessment of each tree in accordance with the requirements of the Tree Management of DCP 2012 Section 5.03 and the Newcastle DCP 2012 Technical Manual Urban Forest Technical Manual, the heritage assessment requirements of the Newcastle LEP (if the tree is heritage listed or on a land containing a heritage item), and any tree protection measures proposed to be implemented on site. The statement is to indicate that the development application has given regard to the content of the arborist report. * The application will be accepted without an arborist report in new residential estates. This does not prevent a report being requested at a later date. 	Where trees are located within 5 metres of a proposal and: i) they are proposed to be removed or pruned and do not constitute exempt or complying development or ii) they are to be maintained. See * for exemptions		
20.	Waste Management Plan (1 electronic copy) The plan is to be prepared in accordance with Section 7.08 Waste Management. The plan should be based on waste avoidance, re-using materials, recycling and reprocessing materials, and waste disposal.	Required where there will be likely generation of waste (i.e. demolition, construction and/or operation).		
21.	Landscape Plan (1 electronic copy, drawn to a scale of 1:100 or 1:200) The plan will demonstrate an understanding of the site and its context and show the following details: • north point • scale (show ratio and bar scale) • finished surface levels, embankments and grades (indicate extent of cut and fill) • existing trees to be retained or removed • proposed planting principles (indicative species, location, approximate quantity and mature height) • proposed surface treatments (eg turf, paving, bank stabilisation) • proposed fences and retaining walls (indicate height and material) • the total landscaped area For design details and the required qualifications of designers refer to, Section 7.02 Landscaping, Open Space and Visual Amenity and the Landscaping Technical Manual. All documentation is to be prepared by competent and experienced designers. The name	Refer to Section 7.02 Landscaping, Open Space and Visual Amenity for guidance on when a landscaping plan is required.		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
	and contact telephone number of the Landscape Architect or design consultant is to be indicated on the required documentation.			
22.	A Flora and Fauna Assessment (1 electronic copy): The report should be prepared by a suitably qualified consultant and assess the impacts of the development on the any threatened species, significant and endangered communities and their habitats.	Required when the development site: contains native vegetation, which is defined as, 'any species of vegetation that existed in NSW before European settlement including trees, saplings, shrubs, scrub, understorey, groundcover or plants in a wetland'; contains remnant native trees; is adjacent to native vegetation if the study area has been extensively cleared; and/or contains sensitive environmental areas likely to contain important habitat resources for fauna such as watercourses, wetlands or swamps, and rocky outcrops, caves, cliffs. Or If the proposed development: will directly or indirectly impact on native vegetation by clearing, runoff, waste-water irrigation, Bushfire Asset Protection Zone's or natural features that sustain native species; may directly or indirectly have a significant impact on native vegetation or sensitive environmental areas that may contain habitat for threatened species, populations or ecological communities; and/or there is likely to be a significant impact on matters of national environmental significance under the (Commonwealth) Environment Protection and Biodiversity Conservation Act		

23. Stormwater or Water Cycle Management Plan (1 electronic copy, drawn to a scale of 1:100 or 1:200): The plan is to illustrate how stormwater will be managed on the site. The level of detail required in the plan will be dependent on the size of the development, as outlined in subclauses a) and b) below. The plans are to indicate the following details:

Development Applications		Applicant's of to be marked a tick (✓) if applicable	
Submission Requirements	Required when?	Applicant	Staff
 north point scale (show ratio and bar scale) existing surface contours (AHD values) proposed finished surface contours (AHD values) proposed building locations and finished floor infiltration measures (eg soakage trenches, so 	levels (AHD values)	ements, etc)	

- discharge points to the stormwater drainage system (show levels at these locations)
 any overland flow paths or flood liable areas present on the land
- notional location and levels of proposed stormwater pipes and drainage pits
- notional location and approximate area of any proposed on-site detention (OSD) facilities
- proposed OSD stored water levels and emergency spillways
- existing or proposed drainage easements across adjoining land, and
- is to comply with <u>Section 7.06 Stormwater</u> of Council's Development Control Plan 2012 and the <u>Stormwater</u> and Water Efficiency Technical Manual.

a) Stormwater Management Plan Required where the b) Water Cycle Management Plan The water cycle application is for a management plan is part of the overall concept of ecologically sustainable development and is required for lager developments (see next column). Plans should detail the whole of the water cycle and identify where and how improved sustainability is the achieved. The plans should more than 50 staff and/or clients; or Involves the use of more than 1 hectare of land for address: Supply – importation of mains water, collection of rain water, interception of ground water Use – drinking, bathing, washing, cleaning, toilet flushing, industrial processing and irrigation as applicable Treatment – filters, ponds, chlorination, biocycles and heating as appropriate, Discharge – sewer, stormwater, evapotranspiration, ground water Public Health Issues - potentially associated with use and reuse of water. For developments where more than 5000m2 of land is to be disturbed, hydrological and hydraulic modelling assessment is required. The modelling is to be carried out in accordance with Section 7.06 Stormwater of the DCP and Stormwater and Water Efficiency Technical Manual. For development of a scale greater than dual occupancies in size. 24. A completed Broad Scale Development Assessment Checklist (1 electronic copy) The checklist is a self assessment checklist against the design criteria for water sensitive design in Newcastle DCP 2012 Section 7.06 Stormwater and Section 7.07 Water Efficiency

25. Erosion and Sediment Control or Soil and Water Management Plan (1 electronic copy, drawn to a scale of 1:100 or 1:200): The plan is to illustrate how runoff and soils will be managed on the site. The level of detail required in the plan will be dependent on the size of the development, as outlined in subclauses a) and b) below.

Both plans are to illustrate how runoff and soils will be managed on the site and show the following details:

	Development Applications			Applicant's to be marked a tick (🗸) if applicable	
	Sub	omission Requirements	Required when?	Applicant	Staff
	 extent of earthworks, stockpiles, access roads, impervious areas, construction entrances, drainage lines proposed runoff diversion measures, such as earth perimeter banks and channels, straw bale perimeter banks, diversion banks and channels, level spreaders, drop down drains and check dams proposed sediment trapping devices, such as sediment fences, sediment traps revegetation and stabilisation areas 				
	a) OF	Erosion and Sediment Control Plan Plans are to be prepared in accordance with 'Managing Urban Stormwater: Soils and Construction - Volume 1, 4th edition 2004 (the 'Blue Book')'	All applications except those identified in 26b)		
	For distured with Efficient	Soil and Water Management Plan: This is an enhancement of the basic erosion and sediment control plan. Stormwater quality treatment measures are to meet the pollutant criteria removal of Section 7.06 of the DCP. developments where more than 5000m² of land is to be urbed, hydrological and hydraulic modelling assessment is uired. The modelling is to be carried out in accordance Section 7.06.02 Stormwater and Section 7.07 Water ciency of the DCP and the Stormwater and Water ciency Technical Manual.	Required where the application is for a development that: Incorporates 20 or more dwellings; or Accommodates more than 50 staff and/or clients; or Involves the use of more than 1 hectare of land for commercial, industrial or special use purposes.		
26.	deta elec Cou deve outli avai app <u>Sect</u> grea Corr	ost Summary Report' for Development Details and/or ails of any proposed Voluntary Planning Agreement. (1 stronic copy): Applicants are encouraged to contact ancil to determine the requirements for the particular elopment prior to lodging any application. Councils' form ining the 'cost summary report for development is ilable on our Website. The s94 contribution plans that ly in the Newcastle LGA are: tion 94A Plan (applies to all development with a cost atter than \$100,000 in the city except where the Western ridor S94 Contribution Plan 2013 applies), Western ridor Section 94 Contribution Plan 2013 (Minmi, Maryland, cher and parts of Wallsend and Elermore Vale.	Cost Summary Report — required for developments triggering a S94A contribution i.e. the development has a cost greater than \$100,000 and results in an increased demand for public amenities and public services in an area. Voluntary Planning Agreement - required where it is proposed as an alternate to the payment of Section 94 or 94A levy.		
27.	copy prog adjo	Attements of intent to negotiate (1 electronic y). The statement is to outline any negotiations that are in gress to acquire rights for easements to be created over pining properties and is to be signed by the owners of the cted properties.	Required where it is proposed to create an easement over an adjoining property/s and the owner/s of the subject land is not owner/s of the land on which the application has been lodged.		
28.	repo	ordable Housing Report (1 electronic copy). The ort should address a number of matters set out in State ironmental Planning Policy (Affordable Rental Housing)	Required ONLY where: • the existing		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
	2009 The policy and guidelines are available from the Department of Planning and Environment . An example of electronic naming convention: "AffordableHousingReport, 1333JamesStLambton	accommodation has been identified (against an assessment under the State Environmental Planning Policy (Affordable Rental Housing) 2009) as a low rental accommodation residential building, and		
		altered, added to, subdivided, or in some circumstances, change the use of the building or demolished.		
29.	Traffic Assessment Study (1 electronic copy). The study is to include an assessment of the proposed development's impact on traffic volumes and parking demand prepared by a qualified engineering consultant.	Required where a development is triggered by Schedule 3 of the Infrastructure State Environmental Planning Policy or may potentially adversely impact on the locality.		
30.	 A Geotechnical Report (1 electronic copy). The report is to be prepared by a suitably qualified person and demonstrate that land is: Suitable for its intended use, or demonstrate that remediation works will eliminate the risk. Does not impact on the structural integrity of buildings, the health and safety of trees on both adjoining and nearby properties and streets and the geodiversity of the local area. 	Required where the development site is considered to be at risk from landslip, subsidence, coastal erosion or any other potential hazardous ground conditions.		
31.	SEPP 65 Design Verification and statement (1 electronic copy): The verification and statement must be prepared by a qualified designer and indicate that they directed the design and that the design quality principles of State Environmental Planning Policy No. 65 - 'Design Quality of Residential Flat Development'. More information can be found in the guidelines at the end of this document and the submission requirements for additional plans and fees. "SEPP65,1333JamesStLambton" or may be in SOE	Required where a development is 3 or more storeys high and contains 4 or more self-contained residential dwellings.		

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
32.	Bushfire Assessment Report (1 electronic copy). The application must demonstrate compliance with Planning for Bush Fire Protection (as amended). Additional information can be obtained from www.rfs.nsw.gov.au and Council's			

	Development Applications		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
36.	 An Acoustic Report (1 electronic copy): The report is to be prepared by a suitably qualified person and depending on the circumstances the report is to: Demonstrate compliance with design standards and setbacks required by the RTA and State Rail ("Interim Guidelines for Applicants – Consideration of Rail Noise and Vibration in the Planning Process") for the development, and/or Demonstrate the impact of the commercial/industrial development on the locality. Taking into consideration the impact of any noise that may result from deliveries to and from the site and arrival, noise generated by activities and leaving of customers. 	Required for either: Residential development adjoining railway, major roads or other areas of high noise generation and/or Commercial or industrial developments that adversely impacts on residential areas.		
37.	Visual Assessment Report (1 electronic copy): The report is to illustrate the impact of the proposal on the views from significant viewpoints external to the site.	Required where the development seeks bonus floor space or where the development may impact on important views from other sites.		
38.	Archaeological Assessment Report (1 electronic copy): The report should be prepared in accordance with the Department of Planning and Infrastructure, heritage branch guidelines. More information is available in DCP 2012 in the following sections: Section 5.06 Archaeological Management	Required on sites, involving excavation and identified as having potential archaeological significance. The Newcastle Archaeological Management Plan outlines known sites in Newcastle's CBD.		
39.	 Heritage Impact Statement (1 electronic copy): The statement must: address the relevant matters listed in the LEP 2012 assess the extent to which the carrying out of the proposed development would affect the heritage significance of the item, area, place, site or relic. The guidelines for various types of heritage impact statements are available at the following web page. Additional information is also available at Council's web site. More information is available in DCP 2012 in the following sections: Section 5.04 Aboriginal Heritage, Section 5.05 Heritage Items, Section 5.06 Archaeological Management, Section 5.07 Heritage Conservation Areas, and the Heritage Technical Manual. 	Required where the development involves works to any of the following: • a heritage item or a draft heritage item or • on a property of known or suspected Aboriginal heritage or • on a property that contains an archaeological site or relic of non- Aboriginal heritage significance and a property within a heritage conservation area, or draft heritage conservation area, where the		

Development Applica	ations					Applicant's of to be marked a tick (✓) if applicable	
Submission Requireme	ents			Requi	red when?	Applicant	Staff
				• m fc th	orks are visible to the street or reater than one torey in height, and any be required or development that is within the icinity of a eritage conservation rea.		
 40. Additional sets of p JRPP assessment - documentation. Urban Design Consu additional hard copy documents (e.g. photos) 	1 electroni Itative Cor plans and	c set of plans and mmittee - 6 sets of any other relevan	f	applicasses Regio Panel Counce Consu (UDCG applicastate Plannia a large by virt or sca have a	red where the ation will be sed by the Joint nal Planning and/or referral to cil's Urban Design ultative Group G). Referral to Environmental ing Policy 65 or is er development, ue of its location le, or is likely to a significant t within the city.		
Office Use - Duty Officer Pre-assessment of plans for loc	dgement: I	ssues for resolution	on (refere	nce item	s in checklist)		
Team	□ват				□DAT		
Description of proposal							
Application		DA		СС		PCA	
Accepted	Officer:				Date:		

Guidelines

Acid Sulfate Soils: Soils containing highly acidic soil layers resulting from the aeration of soil materials that are rich in iron sulphides, primarily pyrite. The soil material has a pH of less than 4 when measured in dry seasonal conditions. Newcastle Local Environmental Plan 2012 provides further guidance as to when an Acid Sulfate Plan is required.

A 149 Certificate will identify properties potentially containing Acid Sulfate Soils.

Class of soil	Works* to which this clause applies
1	Any works.
2	Works below the ground surface OR Works by which the watertable is likely to be lowered.
3	Works more than 1 metre below the natural ground surface. Works by which the water table is likely to be lowered beyond 1 metre below natural ground surface.
4	Works more than 2 metres below the natural ground surface OR Works by which the water table is likely to be lowered more than 2 metres below natural ground surface.
5	Works within 500 metres of adjacent Class 1, 2, 3, or 4 land which are likely to lower the water table more than 1 metre Australian Height Datum on adjacent Class 1, 2, 3, or 4 land.


*Works means any disturbance of more than one tonne of soils such as occurs in carrying out agriculture, the construction or maintenance of drains, extractive industries, dredging, the construction of artificial water bodies (including canals, dams and detention basins), foundations or flood mitigation works, or the works are not likely to lower the watertable. For other exclusions see Clause 6.1 of the LEP.

A Fire Safety Schedule: A Fire Safety Schedule is the list of all the *Essential Fire Safety Measures* that are required to be installed upon a premises and the standard of performance to which each measure must be capable of operating. Essential Fire Safety Measures are installations, types of equipment or forms of construction on a premises for the safety of the occupants in the event of fire or other emergency. Some examples include:

- Automatic fire detection and alarm systems
- Automatic fire suppression systems (e.g. sprinkler systems)
- Emergency lighting and exit signs
- Fire hose reels, fire hydrants, and portable fire extinguishers
- Fire doors and mechanical air handling systems
- Lightweight fire resistant construction.

State Environmental Planning Policy No 65 - Design Quality of Residential Flat Buildings (SEPP 65): This policy aims to improve the design quality of residential flat development and applies to any applications relating to residential development of three (3) or more storeys and with four (4) or more dwellings in NSW. When Council receives such a request, it must consider a number of matters set out in the policy and the State Government's Residential Flat Design Code. The policy and SEPP 65 Guide are available from the Department of Planning and Infrastructure. A qualified designer means a person registered as an architect in accordance with the Architects Act 2003.

Urban Housing Developments





Part Two: Construction Certificate (CC) Application

An application for a Construction Certificate is required to demonstrate the proposals compliance with the Building Code of Australia (BCA) and the development consent. The table below is a summary of the information required for the assessment of a CC.

Construction Certificate Applications			Applicant's column to be marked with a tick (🗸) if applicable	
Su	bmission Requirements Required when?		Applicant	Staff
1.	A complete set of plans (1 electronic copy) - reflecting compliance with the conditions of development consent and indicating the location of all fire safety measures. The set of plans includes a site plan, elevations, floor plans and cross sections.	All applications		
2.	Engineers Details and/or Certification (1 electronic copy): You will require input from an engineer for the following type of work:	All applications		
	 Concrete footings and/or slabs. A soil classification in accordance with AS2870 shall be nominated for all works involving concrete footings or a slab, 			
	Steel members (e.g. beams or posts),			
	 Where it is proposed to build on an existing structure, a statement of structural adequacy is required for the existing building/slab to ensure it is capable of carrying the additional loads, and 			
	 Where a timber frame exceeds the design parameters of AS4055, "Wind Loads for Housing" or AS1684, Residential timber-framed construction, the timber frame must be certified by a structural engineer. A wind classification for the site shall be nominated on the plans. 			
3.	An Erosion and Sediment Plan (1 electronic copy): The plan is to detail what measures will be undertaken to prevent soil from leaving the site. The plan is to comply with the Department of Housing's "Managing Urban Stormwater: Soils and Construction" (referred to as the Blue Book).	All applications		
4.	A Detailed Specification (1 electronic copy): The specification must include; The method of construction, The standard to which any The standard to which any framing, wet area flashing, termite protection and glazing shall be installed. A wind classification for the site shall be nominated, in accordance with AS4055 where any timber framing is proposed and a site classification, in accordance with AS2870, where any concrete footing or slab is proposed.	All applications		
5.	Evidence of compliance with the Premises Standard : The plan is to indicate how the development will address the requirements of Premises Standard.	All buildings (some limited exceptions do apply)		
6.	A Fire Safety Schedule: The schedule shall identify all proposed and existing fire safety measures and the standard to which they are installed or will be installed. <i>More information can be found in the guidelines.</i>	Where fire safety measures are or will be installed in the building.		

Urban Housing Developments Development Application and/or Construction Certificate Checklist



Construction Certificate Applications			Applicant's column to be marked with a tick (✓) if applicable	
Submission Requirements	Required when?		Applicant	Staff
7. An Electronic Copy of the Applica all documents and plans contained in the app on a non-returnable CD or USB stick. More of to be formatted can be found in the document Standards available on Council's website. Council requests all documents use the following reconventions outside of the examples provided registration of your application:	lication shall be provided letails about how the file is titled Application and Plan naming convention, any naming			
 Application Form - 25 City Street Newcas Architectural Plan - 25 City Street Newcas Hunter Water Stamp Plan - 25 City Street SEE - 25 City Street Newcastle Stormwater Plan - 25 City Street Newcastle Engineering - 25 City Street Newcastle Notification Plan - 25 City Street Newcas 	stle t Newcastle stle			