# Change of Use and Ancillary Development Construction Certificate Checklist



Office Use DA No:	

#### **Required Information**

This document summarises the submission requirements for applications for a proposed change of use and/or ancillary activities such as internal building works and advertising signs and consists of two parts:

- Part One contains the submission requirements for a Development Application (DA).
- Part Two contains the submission requirements for a Construction Certificate (CC).

A copy of the checklist is available on Council's website; it contains hyperlinks to documents and websites that will assist you in the preparation of your application. The hyperlinks are identifiable by the underlined words and can be accessed by clicking on "CTRL and clicking on link" e.g. <a href="DCP 2012">DCP 2012</a>

Nothing in this checklist precludes Council from requesting additional information, where Council is of the opinion that the information will assist in the assessment of an application. All plans should be drawn to scale, in ink, on unlined paper and coloured to distinguish new work from existing structures.

#### **Electronic Submission of Documents**

Council no longer requires paper copies to be submitted with an application. An electronic copy of all documents - including all written reports/ statements and plans is required to be submitted. Council requests all documents use the following naming convention, any naming conventions outside of the examples provided may result in a delay in the registration of your application:

- Application Form 25 City Street Newcastle
- Architectural Plan 25 City Street Newcastle
- Hunter Water Stamp Plan 25 City Street Newcastle
- SEE 25 City Street Newcastle
- Stormwater Plan 25 City Street Newcastle
- Engineering 25 City Street Newcastle
- Notification Plan 25 City Street Newcastle

## Part One: Development Application (DA) Checklist

Insert a tick  $(\checkmark)$  in the column titled 'Applicant' where the information has been provided leave blank if not applicable. The relevant sections will be dependent on the application.

	Development Application Requirements		Applicant's column to marked wi tick (<) if applicable	be th a
	Submission Requirements Requi	red when?	Applicant	Staff
1.	A Completed Application Form and this completed checklist (1 electronic copy): A Development Application form is to include consent of all owner/s, contact phone numbers for the applicant and owner and an accurate assessment of the cost of works. The cost of works must include both the cost of materials and the market value of labour. The cost of works will be checked against industry cost guides and you may be required to provide three (3) builders quotes to substantiate estimates, where the amount stated is below industry standards.	All applications.		
2.	An Electronic Copy of the Application (1 electronic copy) A pdf copy of all documents and plans contained in the application shall be provided on a non-returnable CD or USB stick. More details about how the file is to be formatted can be found in the document titled Application and Plan Standards available on Council's website.	All applications.		
3.	Fees: To obtain a fee quote please contact Council's Customer Enquiry Centre on 02 4974 2000, with the cost of works of the	All applications.		

	Development Application Requirements			Applicant's column to marked wi tick (<) if applicable	be
	Submission Requirements Requirements	uired w	vhen?	Applicant	Staff
	proposal and details of other approvals being sought e.g. integrated development, construction certificate, appointment of Principal Certifying Authority.				
4.	Statement of Environmental Effects (SEE) (1 electronic copy): The statement should address the environmental impacts of the proposed development and any steps taken to protect the environment and lessen the expected impact. The statement should address the following matters:	A	All applications.		
	<ul> <li>The environmental impacts of the development;</li> <li>How the environmental impacts of the development have been identified e.g. any reports or investigations;</li> <li>The steps to be taken to protect the environment or to lessen the expected harm to the environment; and</li> <li>Whether or not the development complies with Council's policies (i.e. LEP or DCP) and any applicable legislation including the Ecological Sustainable Development principles contained with the <a href="DCP 2012">DCP 2012</a>. Justification for any part that does not comply with policies or legislation should be provided in the statement.</li> </ul>				
	For further information on how to prepare a Statement of Environmental Effects please refer to the <u>information sheet</u> on Council's web site.				
5.	Site Analysis Plan (1 electronic copy, drawn to a scale of 1:200 or 1:500):The plan is to include the following details:  Orientation  north point (true north)  scale (show ratio and bar scale)  Property details  property boundaries, dimensions and areas (existing and proposed)  lot and deposited plan numbers  site area (square metres or hectares)  proposed and existing easements, rights of way, sewer mains and services  Landform and vegetation  contours or spot levels (extend contours into adjoining roads and properties) to Australian Height Data (AHD)  differences in ground levels between the site and adjoining land  stormwater drains, flow paths, drainage easements, watercourses, channels, etc.  extent of any known land filling or contaminated soil  landscape features: cliffs, embankments, retaining walls, foreshores, wetlands, etc.  important views: from the site, from adjoining land  existing vegetation on-site and on adjacent land, streets and reserves: show location, height, canopy spread, species existing roads and pathways  extent of any environmental constraint areas		All applications.		
6.	Site Plan (1 electronic copy, drawn to a scale of 1:200): The plan is to include:  the north point, boundary dimensions, the general fall of the site,	A	All applications.		
	the building footprint and the distances of the proposal to the boundaries and all buildings on site,				

	Development Application Requirements			Applicant's column to marked wi tick (<) if applicable	be th a
	Submission Requirements	Required	d when?	Applicant	Staff
	<ul> <li>the location and type of all trees located with footprint of the proposed works and within 5 proposed works, including trees on neighbor properties, public places or footpaths,</li> <li>any easements,</li> <li>the location of any power line, transmission underground power line or electricity substated within the vicinity of the proposed works,</li> <li>the location of all existing structures and the demolished,</li> <li>the position of any street or lane adjoining the finished levels (contours or spot levels in AFC car parking areas and dimensions (show dimensions the dimensions difference of the proposed works).</li> <li>waste bin storage and collection facilities.</li> <li>New work must be clearly distinguished.</li> </ul>	ometres of the buring line, ation or tower ose to be ne site,			
7.	Objection to development standard (1 electronic 4.6 of LEP 2012 enables consideration of a written justifying the contravention of any development standard that compliance with the development standard unreasonable or unnecessary in the circumstance b) that there are sufficient environmental planning justify contravening the development standard.	n request andard. The Lis es, and	All application where it is proposed to vary a standard or standards		
8.	Floor Plans (1 electronic copy, drawn to a scale of fully dimensioned plan showing the size and use of room/area. New work must be clearly distinguished for additions and alterations to an existing building the existing room layout including all existing wind etc.	of each ed. Floor plans g must show	All applications.		
9.	A driveway section (1 electronic copy, drawn to 1:100): A driveway section will be required on stee AS2890, Section 3.02.10 of DCP 2012 and have a gradient of 1:4 with transition grades.	ep sites.	Required where there are changes to existing or new car spaces proposed.		
10.	<b>Elevations</b> (1 electronic copy, drawn to a scale of Elevations are to be a fully dimensioned plan show the building, existing and proposed windows, and finished floor levels, the height above natural groutype of material to be used in construction. New will clearly distinguished.	ving all faces of existing and nd level, the	All applications.		
11.	Mines Subsidence Stamped Plans All application properties affected by Mines Subsidence are requiplant stamped by the Mines Subsidence Board. It may be 'Deemed Approved' by the Mines Subside be exempt from the need for referral to the Board. Subsidence Board is located at 117 Bull St Newcamphone (02) 4908 4300 (see their website for more	ired to have the Minor structures nce Board and The Mine stle West,	Required where the property is within a Mine subsidence Area and building works are proposed.		

	Development Application Requirements c			Applicant's column to be marked with a tick ( ) if applicable</th	
	Submission Requirements Re	equired	when?	Applicant	Staff
12.	Hunter Water Stamped Plans The applicant will be required to satisfy the requirements of the Hunter Water Corporation (HWC Evidence of consultation with HWC, including plans stamped by the Hunter Water Corporation must be provided. The Corporation an office located at 36 Honeysuckle Drive, Newcastle and to be contacted on 1300 657 657. For more details on their requirements see their website.	C). y ion	All applications.		
13.	Fire Safety Schedule (1 electronic copy) A list of all fire safety measures that exist or are proposed for the building and the standard to which they are installed must be provided with the application. The location of the measures must be indicated or the floor plan.  More information can be found in the guidelines at the end of the document.	n	Required for all changes of use and additions to existing buildings.		
14.	A schedule of materials and colours of the façade (1 electronic copy). Each sample of the material and colour providin the schedule must:     Describe the composition of the material and colour,     Describe the architectural feature that will compromise the material and colour,		Required where building works are proposed that are visible from the street.		
	Identify the location of the material and colour of facade	es.			
15.	<ul> <li>Landscape Plan (1 electronic copy, drawn to a scale of 1:100 or 1:200): The plan will demonstrate an understanding of the site and its context and show the following details:         <ul> <li>north point</li> <li>scale (show ratio and bar scale)</li> <li>finished surface levels, embankments and grades (indicate extent of cut and fill)</li> <li>existing trees to be retained or removed</li> <li>proposed planting principles (indicative species, location approximate quantity and mature height)</li> <li>proposed surface treatments (eg turf, paving, bank stabilisation)</li> <li>proposed fences and retaining walls (indicate height and material)</li> <li>the total landscaped area</li> </ul> </li> <li>For design details and the required qualifications of designers refer to, Section 7.02 Landscaping, Open Space and Visual Amenity and the Landscaping Technical Manual. All documentation is to be prepared by competent and experience designers. The name and contact telephone number of the Landscape Architect or design consultant is to be indicated on the required documentation.</li> </ul>	n, d	Refer to Section 7.02 Landscaping, Open Space and Visual Amenity for guidance on when a landscaping plan is required.		
16.	Arborist Report and statement of consistency (1 electronic copy): The report is to include:  • the Tree Retention Value Assessment of each tree in accordance with the requirements of the Tree Management DCP 2012 Section 5.03 and the Newcastle DCP 2012 Technical Manual "Urban Forest Technical Manual",  • the heritage assessment requirements of the Newcastle LEI (if the tree is heritage listed or on a land containing a heritage)	P	Where trees are located within 5 metres of works and: i) they are proposed to be removed or pruned and do not constitute exempt or complying		

	Development Application Requirements	Applicant's column to marked wi tick ( ) if applicable</th <th>be</th>	be		
	Submission Requirements	Required	d when?	Applicant	Staff
	item), and  • any tree protection measures proposed to be implemented site.  The statement is to indicate that the development application has given regard to the content of the arborist report.  *The application will be accepted without an arborist report new residential estates. This does not prevent a report bein requested at a later date.	n in	development, or ii) they are to be maintained  See * for exemptions		
17.	Survey of Existing Australian Height Datum (AHD) (1 electronic copy): Where the property is affected by flooding, a survey of the existing floor level is to be provided to AHD indicating the floor level above the flood planning level. The flood planning level can be obtained from Council by applying for a Flood Information Certificate.	propose	ed where works are ed and the property ed controlled lot.		

- 18. Stormwater or Water Cycle Management Plan (1 electronic copy, drawn to a scale of 1:100 or 1:200): The plan is to illustrate how stormwater will be managed on the site. The level of detail required in the plan will be dependent on the size of the development, as outlined in subclauses a) and b) below. The plans are to indicate the following details:
  - north point
  - scale (show ratio and bar scale)
  - existing surface contours (AHD values)
  - proposed finished surface contours (AHD values)
  - proposed building locations and finished floor levels (AHD values)
  - infiltration measures (eg soakage trenches, swales, landscaping, permeable pavements, etc)
  - discharge points to the stormwater drainage system (show levels at these locations)
  - any overland flow paths or flood liable areas present on the land
  - notional location and levels of proposed stormwater pipes and drainage pits
  - notional location and approximate area of any proposed on-site detention (OSD) facilities
  - proposed OSD stored water levels and emergency spillways
  - · existing or proposed drainage easements across adjoining land, and
  - is to comply with <u>Section 7.06 Stormwater</u> of Council's Development Control Plan 2012 and the <u>Stormwater and Water Efficiency Technical Manual.</u>

a) Stormwater Management Plan	All applications, except those identified in 19b)	
b) Water Cycle Management Plan The water cycle management plan is part of the overall concept of ecologically sustainable development and is required for lager developments (see next column). Plans should detail the whole of the water cycle and identify where and how improved sustainability is the achieved. The plans should address:	Required where the application is for a development that:  Incorporates	
<ul> <li>Supply – importation of mains water, collection of rain water, interception of ground water</li> </ul>	20 or more dwellings; or Accommodat	
<ul> <li>Use – drinking, bathing, washing, cleaning, toilet flushing, industrial processing and irrigation as applicable</li> </ul>	es more than 50 staff	
<ul> <li>Treatment – filters, ponds, chlorination, biocycles and heating as appropriate,</li> </ul>	and/or clients; or	

Development Application Requirements		Applicant' column to marked w tick (✓) if applicable	be ith a
Submission Requirements	Required when?	Applicant	Staff
Discharge – sewer, stormwater, evapotrans ground water     Public Health Issues – potentially associate and reuse of water.  For developments where more than 5000m2 of land disturbed, hydrological and hydraulic modelling associated required. The modelling is to be carried out in acconsection 7.06 Stormwater of the DCP and Stormwater Efficiency Technical Manual.	use of more than 1 hectare of land for commercial, industrial or special use special use		
detail required in the plan will be dependent on the b) below.  Both plans are to illustrate how runoff and soils will  extent of earthworks, stockpiles, access road drainage lines proposed runoff diversion measures, such as bale perimeter banks, diversion banks and check dams proposed sediment trapping devices, such as revegetation and stabilisation areas  a) Erosion and Sediment Control Plan Plan are to be prepared in accordance with 'Managing Urban Stormwater: Soils and Construction - Volum 4th edition 2004 (the 'Blue Book')'	I be managed on the site and show the s, impervious areas, construction entra earth perimeter banks and channels, s annels, level spreaders, drop down draws estiment fences, sediment traps  All applications except those identified in 20b)	following de nces,	
b) Soil and Water Management Plan: This is enhancement of the basic erosion and sediment control plan. Stormwater quality treatment measur are to meet the pollutant criteria removal of Section 7.06 of the DCP.  For developments where more than 5000m² of lan to be disturbed, hydrological and hydraulic modelling assessment is required. The modelling is to be catout in accordance with Section 7.06.02 Stormwater and Section 7.07 Water Efficiency of the DCP and Stormwater and Water Efficiency Technical Manual	application is for a development that: Incorporates 20 or more dwellings; or Accommodates more than 50 staff and/or clients; or Involves the use of more than 1 hectare of land for commercial,		
O. A completed Broad Scale Development Assessment Checklist (1 electronic copy). The checklist is a self assessment checklist against the design criteria for water sensitive design in Newcastle DCP 2012 Section 7.06 Stormwater an Section 7.07 Water Efficiency.	For development of a scale greater than dual occupancies in size. However site circumstances may require a		
1. Waste Management Plan (1 electronic copy): The plan is to be prepared in accordance with Section 7.08 Waste Management. The plan should be bas on waste avoidance, re-using materials, recycling and reprocessing materials, and waste disposal.	likely generation of waste		

Notification Plan(1 electronic copy drawn to a scale

of not less than 1:200): including site plan,

22.

	Development Application Requirements		Applicant's column to marked wi tick (🗸) if applicable	be th a
	Submission Requirements	Required when?	Applicant	Staff
	elevations, dimensions of the proposal and all relevant setbacks. Note: All development applications are considered on a case-by-case basis.	required to be notified.  All development applications are considered on a caseby-case basis. However, some development (not related to a heritage item or heritage conservation area) are considered by the Council as generally unlikely to warrant public notification:  New works involving alterations to an existing building which will not result in changes to the height, elevations or façade of the existing building  Establishment of use or change of use consistent with zoning  Alterations and additions to industrial or commercial buildings within business or industrial zones  Demolition of buildings (excluding heritage items) carports, garages, awnings and outbuildings that do not encroach on the required setbacks  Development that, in the opinion of Council, may have negligible impact on the amenity of persons on adjoining and/or neighbouring land  Strata subdivision.		
23.	Bushfire Assessment Report (1 electronic copy): The application must demonstrate compliance with Planning for Bush Fire Protection (as amended). Additional information can be obtained from www.rfs.nsw.gov.au and Council's bushfire prone land maps.	Required where building works are proposed and the property is identified as 'Bushfire Prone Land'.		
24.	An Acoustic Report (1 electronic copy): The report is to be prepared by a suitably qualified person and demonstrate the impact of the commercial/industrial development on the locality. The impact shall take into consideration the impact of any noise that may result from deliveries to and from the site and arrival, noise generated by activities and leaving of customers.	Required for commercial or industrial developments that adversely impacts on residential areas.		

	Development Application Requirements		Applicant's column to marked wi tick (<) if applicable	be
	Submission Requirements	Required when?	Applicant	Staff
25.	A Social Impact Assessment (1 electronic copy): Council's Social Impact Assessment Policy for development applications outlines the circumstances in which a statement may be required and the required contents of any assessment. The report should be prepared by a qualified social impact practioner.	Required where the development may have a social impact. e.g. major projects that are out of character within the urban context, involve an increased risk to public safety, involve a component to serve, sell or supply alcohol or likely to threaten the existing sense of community identity or cohesiveness.		
26.	<ul> <li>Land Contamination Report (1 electronic copy):</li> <li>There are five types of land contamination reports that may be required as part of an application:</li> <li>Initial site investigation report</li> <li>Stage 1 Preliminary site investigation report</li> <li>Stage 2 Detailed site investigation report</li> <li>Stage 3 Remediation action plan</li> <li>Stage 4 Validation report and, if required, site monitoring report</li> </ul>	Required where the development site is known to or is likely to be contaminated.		
	Some applications may only need to be accompanied by an initial site investigation report whilst others may require a number of reports. All reports except the initial site investigation report must be prepared by a suitably qualified consultant. An initial site investigation report may form part of the statement of environmental effects. Further information can be found in Section 5.02 Contaminated Land, The Contaminated Land Technical Manual and State Environmental Planning Policy 55- Contaminated Land.			
27.	Archaeological Assessment Report (1 electronic copy): The report should be prepared in accordance with the Department of Planning and Infrastructure, heritage branch guidelines.  More information is available in DCP 2012 in the following sections:  Section 5.06 Archaeological Management	Required on sites, involving excavation and identified as having potential archaeological significance. The Newcastle Archaeological Management Plan outlines known sites in Newcastle's CBD.		

	Development Application Requirements		Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements	Required when?	Applicant	Staff
28.	<ul> <li>Acid Sulfate Soils Management Plan (1 electronic copy): The plan must be prepared by an appropriately qualified person and:</li> <li>Identify the extent of excavation and groundwater disturbance,</li> <li>Establish whether acid sulfate soils are present on a site and if so whether the proposed works are likely to disturb those soils,</li> <li>Establish whether a comprehensive acid sulfate soils management plan should be prepared, that outlines mitigation and/or monitoring strategies,</li> <li>Provides information to assist with the design of a soil and water assessment program.</li> <li>More information can be found in the guidelines at the end of this document and in Council's LEP.</li> </ul>	Required where a development site has been identified as being potentially impacted by acid sulfate soils and the proposed works involve the disturbance of 1 tonne or more of soil, the lowering of the watertable or for works beyond a certain level (as specified in the LEP) below the existing ground surface		
29.	Affordable Housing Report (1 electronic copy): The report should address a number of matters set out in State Environmental Planning Policy (Affordable Rental Housing) 2009 The policy and guidelines are available from the Department of Planning and Infrastructure.	the existing accommodation has been identified (against an assessment under the State Environmental Planning Policy (Affordable Rental Housing) 2009) as a low rental accommodation residential building, and      is either to be altered, added to, subdivided, or in some circumstances, change the use of the building or demolished.		
30.	Heritage Impact Statement (1 electronic copy): The statement must:  • address the relevant matters listed in Clause 5.10 of Newcastle LEP 2012.  • assess the extent to which the carrying out of the proposed development would affect the heritage significance of the item, area, place, site or relic.  The guidelines for various types of heritage impact statements, are available at the following web page. Additional information is also available at Council's web site.  More information is available in DCP 2012 in the following sections: Section 5.04 Aboriginal Heritage, Section 5.05 Heritage Items, Section 5.06 Archaeological Management, Section 5.07	Required where the development involves works to any of the following:  • a heritage item or a draft heritage item or  • on a property of known or suspected Aboriginal heritage or  • on a property that contains an archaeological site or relic of non- Aboriginal heritage significance and a property within a heritage conservation area, or draft heritage conservation area, where the works are visible to the street or greater than		

	Development Application Requirements		Applicant's column to marked witick (✓) if applicable	be th a
	Submission Requirements	Required when?	Applicant	Staff
	Heritage Conservation Areas and the Heritage Technical Manual.	<ul> <li>one storey in height,</li> <li>and may be required for development that is within the vicinity of a heritage item or heritage conservation area.</li> </ul>		
31.	Traffic Assessment Study (1 electronic copy): The study is to include an assessment of the proposed development's impact on traffic volumes and parking demand prepared by a qualified engineering consultant.	Required where a development is triggered by Schedule 3 of the Infrastructure State Environmental Planning Policy or may potentially adversely impact on the locality.		

# Guidelines Acid Sulfate Soils: Soils containing highly acidic soil layers resulting from the aeration of soil materials that are rich in iron sulphides, primarily pyrite. The soil material has a pH of less than 4 when measured in dry seasonal conditions. Newcastle Local Environmental Plan 2012 provides further guidance as to when an Acid Sulfate Plan is required. A 149 Certificate will identify properties potentially containing Acid Sulfate Soils. Works\* to which this clause applies soil 1 Any works. 2 Works below the ground surface OR Works by which the watertable is likely to be lowered. 3 Works more than 1 metre below the natural ground surface. Works by which the water table is likely to be lowered beyond 1 metre below natural ground surface. Works more than 2 metres below the natural ground surface OR Works by which the water table is likely to be lowered more than 2 metres below natural ground surface. 5 Works within 500 metres of adjacent Class 1, 2, 3, or 4 land which are likely to lower the water table more than 1 metre Australian Height Datum on adjacent Class 1, 2, 3, or 4 land. \*Works means any disturbance of more than one tonne of soils such as occurs in carrying out agriculture, the construction or maintenance of drains, extractive industries, dredging, the construction of artificial water bodies (including canals, dams and detention basins), foundations or flood mitigation works, or the works are not likely to lower the watertable. For other exclusions see Clause 6.1 of the LEP. A Fire Safety Schedule: A Fire Safety Schedule is the list of all the Essential Fire Safety Measures that are required to be installed upon a premises and the standard of performance to which each measure must be capable of operating. Essential Fire Safety Measures are installations, types of equipment or forms of construction on a premises for the safety of the occupants in the event of fire or other emergency. Some examples include: Automatic fire detection and alarm systems Automatic fire suppression systems (e.g. sprinkler systems) Emergency lighting and exit signs Fire hose reels, fire hydrants, and portable fire extinguishers Fire doors and mechanical air handling systems Lightweight fire resistant construction. Office Use - Duty Officer Pre-assessment of plans for lodgement: Issues for resolution (reference items in checklist) Team BAT DAT Description of proposal

Officer:

DA

CC

Date:

**PCA** 

Application

Accepted

### Part Two: Construction Certificate (CC) Checklist

Insert a tick  $(\checkmark)$  in the column titled 'Applicant' items where the information has been provided or leave blank if not applicable. The relevant sections will be dependent on the application.

An application for a Construction Certificate is required to demonstrate the proposals compliance with the Building Code of Australia (BCA) and the development consent. The table below is a summary of the information required for the assessment of a CC.

	Construction Certificate Application			Applicant's column to be marked with a tick (✓) if applicable	
	Submission Requirements Required when		Applicant	Staff	
1.	A complete set of plans (1 electronic copy) - reflecting compliance with the conditions of development consent and indicating the location of all fire safety measures. The set of plans includes a site plan, elevations, floor plans and cross sections.	All applications.			
2.	Engineers Details and/or Certification (1 electronic copy): You will require input from an engineer for the following type of work:	All applications.			
	<ul> <li>Concrete footings and/or slabs. A soil classification in accordance with AS2870 shall be nominated for all works involving concrete footings or a slab,</li> </ul>				
	<ul> <li>Steel members (e.g. beams or posts),</li> </ul>				
	<ul> <li>Where it is proposed to build on an existing structure, a statement of structural adequacy is required for the existing building/slab to ensure it is capable of carrying the additional loads, and</li> </ul>				
	<ul> <li>Where a timber frame exceeds the design parameters of AS4055, "Wind Loads for Housing" or AS1684, Residential timber-framed construction, the timber frame must be certified by a structural engineer. A wind classification for the site shall be nominated on the plans.</li> </ul>				
3.	<b>Detailed Specification</b> (1 electronic copy): The specification must include;	All applications.			
	The method of construction,				
	<ul> <li>The standard to which any framing, wet area flashing, termite protection and glazing shall be installed.</li> </ul>				
	<ul> <li>A wind classification for the site shall be nominated, in accordance with AS4055 where any timber framing is proposed and</li> </ul>				
	<ul> <li>A site classification, in accordance with AS2870, where any concrete footing or slab is proposed.</li> </ul>				
4.	<b>Evidence of compliance with the Premises Standard:</b> The plan is to indicate how the development will address the requirements of Premises Standard.	All buildings (some limited exceptions do apply)			
5.	Part J verification: Sufficient evidence is to be supplied to reflect compliance with the energy efficiency requirements of the Building Code of Australia. This may include specifications on the building fabric, glazing, building sealing, air conditioning and ventilation, artificial lighting and power, hot water and swimming pool and spa plant.	As required by the BCA.			

	Construction Certificate Application			Applicant's column to be marked with a tick ( ) if applicable</th	
	Submission Requirements Re	quired whe	quired when?		Staff
6.	A Fire Safety Schedule: The schedule shall identify all propos existing fire safety measures and the standard to which they are installed or will be installed. More information can be found in the guidelines.	<b>!</b>	Where fire safety measures are or will be installed in the building.		
7.	An Electronic Copy of the Application (1 electronic copy) A copy of all documents and plans contained in the application ship provided on a non-returnable CD or USB stick. More details about the file is to be formatted can be found in the document title Application and Plan Standards available on Council's website.	all be out			
	Council requests all documents use the following naming conventions outside of the examples provided may delay in the registration of your application:				
	<ul> <li>Application Form - 25 City Street Newcastle</li> <li>Architectural Plan - 25 City Street Newcastle</li> <li>Hunter Water Stamp Plan - 25 City Street Newcastle</li> <li>SEE - 25 City Street Newcastle</li> <li>Stormwater Plan - 25 City Street Newcastle</li> <li>Engineering - 25 City Street Newcastle</li> <li>Notification Plan - 25 City Street Newcastle</li> </ul>				